

# **WEST OXFORDSHIRE DISTRICT COUNCIL**

## **UPLANDS AREA PLANNING SUB-COMMITTEE**

**Date: 1 December 2014**

### **Report of Additional Representations**



---

**WEST OXFORDSHIRE  
DISTRICT COUNCIL**

---

## Agenda Index

Please note that if you are viewing this document electronically, the agenda items below have been set up as links to the relevant application for your convenience.

14/1296/P/FP Woodstock Town Football Club.....  
.....**Error! Bookmark not defined.**

## Report of Additional Representations

<b>14/1296/P/FP Old Woodstock Town Football Club</b>	
Date	27/11/14
Officer	Hannah Wiseman
Recommendation	<b>Grant, subject to conditions</b>
Parish	WOODSTOCK
Grid Ref:	

### **APPLICATION DETAILS**

Erection of six, 15m high Floodlighting Columns

### **APPLICANT**

Old Woodstock Town football Club, Woodstock, C/O Agent

### **ADDITIONAL REPRESENTATIONS**

Some further details have been submitted by the applicant of the light spill and lux levels of the floodlights Members viewed at Kidlington Football Club on 26<sup>th</sup> November 2014. The details and the additional supporting information are attached below.

# PAUL BLAKE DESIGN

Architectural Services

43 Cherry Close, Kidlington, Oxford, OX5 1HJ.  
Telephone and Fax : 01865 371223  
Email : paulblakedesign@btconnect.com

24 NOV 2014

Date : 20<sup>th</sup> November 2014  
Project No. 187112

Dear Sirs

**PROPOSED ERECTION OF 6 No. FLOODLIGHT COLUMNS.  
OLD WOODSTOCK TOWN F.C., NEW ROAD, WOODSTOCK, OXON, OX20 1NZ.**

Following our recent telephone conversations I wish to confirm that Neil Roberts of Old Woodstock Town F.C. will ensure that the car park accessed from New Road will be available for use by the planning committee members at 4.30pm on Wednesday the 26<sup>th</sup> of November. I will be present at the Yarnton Road ground of Kidlington F.C. from 5.00pm onwards. The car park will be available.

I enclose 6 copies of a drawing indicating the Lux contours for the floodlights at Kidlington F.C. Please note that since the lights were erected in 2004, floodlight technology has improved and the spread of the overspill contours have reduced. Consequently, the amount of overspill lighting will be less for the proposed lights at Woodstock than the lights viewed at Kidlington.

One reason the spread of overspill contours will be less is due to the direction of the floodlight lamps. The plan supplied by Abacus Lighting Ltd. for the planning application clearly indicates that the lights are directed further onto the playing area than those at Kidlington.

I also to confirm the following :-

- a. The lighting scheme has been designed in accordance with the requirements of the Campaign for Dark Skies and the recommendations of the Institution of Lighting Engineers.
- b. The lighting level at the outer limit of the lighting zone will be 2 Lux, which is less than the recommended level of light into windows before curfew times in rural areas and small village locations and equal to the level for National Parks and Areas of Outstanding Natural Beauty.
- c. The lights will only be required between 2.30 and 5.00pm on Saturdays during winter months and between 6.30 and 9.30pm [ 10.30pm if extra time is required for a small number of cup games ] for mid-week games.


I trust that the above information is useful. Should you or the planning committee have any queries or require additional information please do not hesitate to contact me.

Yours faithfully



Paul Blake

Attention : Hannah Wiseman : Planning Officer  
Planning Department  
West Oxfordshire D.C.  
Elmfield  
Witney  
Oxon.  
OX28 1PB



**LUX CONTOURS FOR FLOODLIGHTS AT KIDLINGTON F.C.**

**Note : Floodlights were installed in 2004. Technology has improved, therefore the spread of the overspill contours for the Woodstock lights are reduced.**

---

**PROPOSED ERECTION OF 6 No. FLOODLIGHT COLUMNS.  
 OLD WOODSTOCK TOWN FOOTBALL CLUB.  
 NEW ROAD, WOODSTOCK, OXFORDSHIRE. OX20 1NZ.**

---

**Paul Blake Design**  
 43 Cherry Close  
 Kidlington  
 Oxon.  
 OX5 1HJ

**Architectural Services**  
 Telephone 01865 371223  
 e.mail : paulblakedesign@btconnect.com